Stretto

Schlanke elegante, eckige Spiegelleuchte mit einem Sockel aus Aluminium, Seitenteilen aus Kunststoff und einer Abdeckung aus PMMA opal matt.

Bestell Nr.	Leistung	Fassung / Modul	Leuchtmittel	Schutzart	Abmessung	Lumen	Dimmbar	Bewegungsmelder	Notlicht	Infos
2800L/O88-26WW120DAB	18,2W	Osram PrevaLEDLinear	LED Modul	IP44	1200x40x75	2000	Dali, Bluetooth			Details
2800L/O88-19WW/90DAB	12,3W	Osram PrevaLEDLinear	LED Modul	IP44	900x40x75	1500	Dali, Bluetooth			Details
2800L/O06-26WW120DAB	18,2W	Osram PrevaLEDLinear	LED Modul	IP44	1200x40x75	2000	Dali, Bluetooth			Details
2800L/O06-19WW/90DAB	12,3W	Osram PrevaLEDLinear	LED Modul	IP44	900x40x75	1500	Dali, Bluetooth			Details
2800L/O-WW	14,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1700				Details
2800L/O-WW/900	21,3W	Osram PrevaLEDLinear	LED Modul	IP44	900x40x75	2500				Details
2800L/O-WW/90-DAB	21,3W	Osram PrevaLEDLinear	LED Modul	IP44	900x40x75	2500	Dali, Bluetooth			Details
2800L/O-WW/90-DA	21,3W	Osram PrevaLEDLinear	LED Modul	IP44	900x40x75	2500	DALI			Details
2800L/O-WW/2400	56,4W	Osram PrevaLEDLinear	LED Modul	IP40	2400x40x75	6600				Details
2800L/O-WW/1800	42,3W	Osram PrevaLEDLinear	LED Modul	IP40	1800x40x75	5000				Details
2800L/O-WW/1200	28,2W	Osram PrevaLEDLinear	LED Modul	IP44	1200x40x75	3300				Details
2800L/O-WW/120-DAB	28,2W	Osram PrevaLEDLinear	LED Modul	IP44	1200x40x75	3300	Dali, Bluetooth			Details
2800L/O-WW/120-DA	28,2W	Osram PrevaLEDLinear	LED Modul	IP44	1200x40x75	3300	DALI			Details
2800L/O-WW-DABT	14,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1700	Dali, Bluetooth			Details
2800L/O-WW-DA	14,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1700	DALI			Details
2800L/O-NW	14,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1700				Details

Bestell Nr.	Leistung	Fassung / Modul	Leuchtmittel	Schutzart	Abmessung	Lumen	Dimmbar	Bewegungsmelder	Notlicht	Infos
2800L/O-NW/900	21,3W	Osram PrevaLEDLinear	LED Modul	IP44	900x40x75	2500				Details
2800L/O-NW/2400	56,4W	Osram PrevaLEDLinear	LED Modul	IP40	2400x40x75	6600				Details
2800L/O-NW/1800	42,3W	Osram PrevaLEDLinear	LED Modul	IP40	1800x40x75	5000				Details
2800L/O-NW/1200	28,2W	Osram PrevaLEDLinear	LED Modul	IP44	1200x40x75	3300				Details
2800L/O-NW-DABT	14,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1700	Dali, Bluetooth			Details
2800L/O-NW-DA	14,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1700	DALI			Details
2800L/O-88-WW	14,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1700				Details
2800L/O-88-WW/900	21,3W	Osram PrevaLEDLinear	LED Modul	IP44	900x40x75	2500				Details
2800L/O-88-WW/90-DAB	21,3W	Osram PrevaLEDLinear	LED Modul	IP44	900x40x75	2500	Dali, Bluetooth			Details
2800L/O-88-WW/90-DA	21,3W	Osram PrevaLEDLinear	LED Modul	IP44	900x40x75	2500	DALI			Details
2800L/O-88-WW/2400	56,4W	Osram PrevaLEDLinear	LED Modul	IP40	2400x40x75	6600				Details
2800L/O-88-WW/1800	42,3W	Osram PrevaLEDLinear	LED Modul	IP40	1800x40x75	5000				Details
2800L/O-88-WW/120DAB	28,2W	Osram PrevaLEDLinear	LED Modul	IP44	1200x40x75	3300	Dali, Bluetooth			Details
2800L/O-88-WW/1200	28,2W	Osram PrevaLEDLinear	LED Modul	IP44	1200x40x75	3300				Details
2800L/O-88-WW/120-DA	28,2W	Osram PrevaLEDLinear	LED Modul	IP44	1200x40x75	3300	DALI			Details
2800L/O-88-WW-DABT	14,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1700	Dali, Bluetooth			Details
2800L/O-88-WW-DA	14,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1700	DALI			Details
2800L/O-88-NW	14,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1700				Details
2800L/O-88-NW/900	21,3W	Osram PrevaLEDLinear	LED Modul	IP44	900x40x75	2500				Details
2800L/O-88-NW/2400	56,4W	Osram PrevaLEDLinear	LED Modul	IP40	2400x40x75	6600				Details
2800L/O-88-NW/1800	42,3W	Osram PrevaLEDLinear	LED Modul	IP40	1800x40x75	5000				Details
2800L/O-88-NW/1200	28,2W	Osram PrevaLEDLinear	LED Modul	IP44	1200x40x75	3300				Details
2800L/O-88-NW-DABT	14,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1700	Dali, Bluetooth			Details

Bestell Nr.	Leistung	Fassung / Modul	Leuchtmittel	Schutzart	Abmessung	Lumen	Dimmbar	Bewegungsmelder	Notlicht	Infos
2800L/O-88-NW-DA	14,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1700	DALI			Details
2800L/O-88-52WW/2400	36,4W	Osram PrevaLEDLinear	LED Modul	IP40	2400x40x75	3900				Details
2800L/O-88-52NW/2400	36,4W	Osram PrevaLEDLinear	LED Modul	IP40	2400x40x75	3900				Details
2800L/O-88-39WW/1800	27,3W	Osram PrevaLEDLinear	LED Modul	IP40	1800x40x75	2900				Details
2800L/O-88-39NW/1800	27,3W	Osram PrevaLEDLinear	LED Modul	IP40	1800x40x75	2900				Details
2800L/O-88-26WW120DA	18,2W	Osram PrevaLEDLinear	LED Modul	IP44	1200x40x75	2000	DALI			Details
2800L/O-88-26WW/1200	18,2W	Osram PrevaLEDLinear	LED Modul	IP44	1200x40x75	2000				Details
2800L/O-88-26NW/1200	18,2W	Osram PrevaLEDLinear	LED Modul	IP44	1200x40x75	2000				Details
2800L/O-88-19WW/90DA	12,3W	Osram PrevaLEDLinear	LED Modul	IP44	900x40x75	1500	DALI			Details
2800L/O-88-19WW/900	12,3W	Osram PrevaLEDLinear	LED Modul	IP44	900x40x75	1500				Details
2800L/O-88-19NW/900	12,3W	Osram PrevaLEDLinear	LED Modul	IP44	900x40x75	1500				Details
2800L/O-88-13WW-DABT	9,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1000	Dali, Bluetooth			Details
2800L/O-88-13WW-DA	9,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1000	DALI			Details
2800L/O-88-13NW-DABT	9,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1000	Dali, Bluetooth			Details
2800L/O-88-13NW-DA	9,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1000	DALI			Details
2800L/O-88-1300-WW	9,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1000				Details
2800L/O-88-1300-NW	9,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1000				Details
2800L/O-52WW/2400	36,4W	Osram PrevaLEDLinear	LED Modul	IP40	2400x40x75	3900				Details
2800L/O-52NW/2400	36,4W	Osram PrevaLEDLinear	LED Modul	IP40	2400x40x75	3900				Details
2800L/O-39WW/1800	27,3W	Osram PrevaLEDLinear	LED Modul	IP40	1800x40x75	2900				Details
2800L/O-39NW/1800	27,3W	Osram PrevaLEDLinear	LED Modul	IP40	1800x40x75	2900				Details
2800L/O-26WW/1200	18,2W	Osram PrevaLEDLinear	LED Modul	IP44	1200x40x75	2000				Details
2800L/O-26WW/120-DAB	18,2W	Osram PrevaLEDLinear	LED Modul	IP44	1200x40x75	2000	Dali, Bluetooth			Details

Bestell Nr.	Leistung	Fassung / Modul	Leuchtmittel	Schutzart	Abmessung	Lumen	Dimmbar	Bewegungsmelder	Notlicht	Infos
2800L/O-26WW/120-DA	18,2W	Osram PrevaLEDLinear	LED Modul	IP44	1200x40x75	2000	DALI			Details
2800L/O-26NW/1200	18,2W	Osram PrevaLEDLinear	LED Modul	IP44	1200x40x75	2000				Details
2800L/O-19WW/900	12,3W	Osram PrevaLEDLinear	LED Modul	IP44	900x40x75	1500				Details
2800L/O-19WW/90-DAB	12,3W	Osram PrevaLEDLinear	LED Modul	IP44	900x40x75	1500	Dali, Bluetooth			Details
2800L/O-19WW/90-DA	12,3W	Osram PrevaLEDLinear	LED Modul	IP44	900x40x75	1500	DALI			Details
2800L/O-19NW/900	12,3W	Osram PrevaLEDLinear	LED Modul	IP44	900x40x75	1500				Details
2800L/O-13WW-DABT	9,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1000	Dali, Bluetooth			Details
2800L/O-13WW-DA	9,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1000	DALI			Details
2800L/O-13NW-DABT	9,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1000	Dali, Bluetooth			Details
2800L/O-13NW-DA	9,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1000	DALI			Details
2800L/O-1300-WW	9,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1000				Details
2800L/O-1300-NW	9,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1000				Details
2800L/O-06-WW	14,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1700				Details
2800L/O-06-WW/900	21,3W	Osram PrevaLEDLinear	LED Modul	IP44	900x40x75	2500				Details
2800L/O-06-WW/90-DAB	21,3W	Osram PrevaLEDLinear	LED Modul	IP44	900x40x75	2500	Dali, Bluetooth			Details
2800L/O-06-WW/90-DA	21,3W	Osram PrevaLEDLinear	LED Modul	IP44	900x40x75	2500	DALI			Details
2800L/O-06-WW/2400	56,4W	Osram PrevaLEDLinear	LED Modul	IP40	2400x40x75	6600				Details
2800L/O-06-WW/1800	42,3W	Osram PrevaLEDLinear	LED Modul	IP40	1800x40x75	5000				Details
2800L/O-06-WW/120DAB	28,2W	Osram PrevaLEDLinear	LED Modul	IP44	1200x40x75	3300	Dali, Bluetooth			Details
2800L/O-06-WW/1200	28,2W	Osram PrevaLEDLinear	LED Modul	IP44	1200x40x75	3300				Details
2800L/O-06-WW/120-DA	28,2W	Osram PrevaLEDLinear	LED Modul	IP44	1200x40x75	3300	DALI			Details
2800L/O-06-WW-DABT	14,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1700	Dali, Bluetooth			Details
2800L/O-06-WW-DA	14,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1700	DALI			Details

Bestell Nr.	Leistung	Fassung / Modul	Leuchtmittel	Schutzart	Abmessung	Lumen	Dimmbar	Bewegungsmelder	Notlicht	Infos
2800L/O-06-NW	14,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1700				Details
2800L/O-06-NW/900	21,3W	Osram PrevaLEDLinear	LED Modul	IP44	900x40x75	2500				Details
2800L/O-06-NW/2400	56,4W	Osram PrevaLEDLinear	LED Modul	IP40	2400x40x75	6600				Details
2800L/O-06-NW/1800	42,3W	Osram PrevaLEDLinear	LED Modul	IP40	1800x40x75	5000				Details
2800L/O-06-NW/1200	28,2W	Osram PrevaLEDLinear	LED Modul	IP44	1200x40x75	3300				Details
2800L/O-06-NW-DABT	14,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1700	Dali, Bluetooth			Details
2800L/O-06-NW-DA	14,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1700	DALI			Details
2800L/O-06-52WW/2400	36,4W	Osram PrevaLEDLinear	LED Modul	IP40	2400x40x75	3900				Details
2800L/O-06-52NW/2400	36,4W	Osram PrevaLEDLinear	LED Modul	IP40	2400x40x75	3900				Details
2800L/O-06-39WW/1800	27,3W	Osram PrevaLEDLinear	LED Modul	IP40	1800x40x75	2900				Details
2800L/O-06-39NW/1800	27,3W	Osram PrevaLEDLinear	LED Modul	IP40	1800x40x75	2900				Details
2800L/O-06-26WW120DA	18,2W	Osram PrevaLEDLinear	LED Modul	IP44	1200x40x75	2000	DALI			Details
2800L/O-06-26WW/1200	18,2W	Osram PrevaLEDLinear	LED Modul	IP44	1200x40x75	2000				Details
2800L/O-06-26NW/1200	18,2W	Osram PrevaLEDLinear	LED Modul	IP44	1200x40x75	2000				Details
2800L/O-06-19WW/90DA	12,3W	Osram PrevaLEDLinear	LED Modul	IP44	900x40x75	1500	DALI			Details
2800L/O-06-19WW/900	12,3W	Osram PrevaLEDLinear	LED Modul	IP44	900x40x75	1500				Details
2800L/O-06-19NW/900	12,3W	Osram PrevaLEDLinear	LED Modul	IP44	900x40x75	1500				Details
2800L/O-06-13WW-DABT	9,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1000	Dali, Bluetooth			Details
2800L/O-06-13WW-DA	9,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1000	DALI			Details
2800L/O-06-13NW-DABT	9,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1000	Dali, Bluetooth			Details
2800L/O-06-13NW-DA	9,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1000	DALI			Details
2800L/O-06-1300-WW	9,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1000				Details
2800L/O-06-1300-NW	9,1W	Osram PrevaLEDLinear	LED Modul	IP44	600x40x75	1000				Details